I Number	Hits	Search Text	DB	Time stamp
ı	$\overline{}$	382/100.ccls.	USPAT;	2003/08/04 17:38
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
ı	701	713/176.ccls.	USPAT;	2003/08/04 17:38
			US-PGPUB;	
			EPO; JPO;	_
			IBM TDB	
ı	3109	3109   707/10.ccls.	USPAT;	2003/08/01 12:48
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
1	21478	steganograph\$4 or ((digital\$4 or electronic\$4) near4 watermark\$4) or	USPAT;	2003/08/01 12:48
		((data or information) near4 (hid\$4 or embed\$4))	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
	511	382/100.ccls. and (steganograph\$4 or ((digital\$4 or electronic\$4) near4	USPAT;	2003/08/07 14:00
		watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
1	326	713/176.ccls. and (steganograph\$4 or ((digital\$4 or electronic\$4) near4	USPAT;	2003/08/04 17:39
		watermark\$4  or ((data or information) near4 (hid\$4 or embed\$4)))	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
1	357		USPAT;	2003/08/01 12:49
		watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))	US-PGPUB;	
_			EPO; JPO;	
			IBM TDB	

	Search History 8/12/03/9P2:51:57 PM Page 2 "5946414" "6098056" C:\APPS\EAST\Workspa@9\\$099672.wsp
USPAT; US-PGPUB; EPO; JPO; IBM_TDB	
2003/08/01 13:07	

ı

1

	2900	707/104.1	USPAT; US-PGPUB;	2003/08/01 13:07
	1		EPO; JPO; IBM_TDB	
ı	295	707/104.1 and (steganograph\$4 or ((digital\$4 or electronic\$4) near4 watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))	USPAT; US-PGPUB; EPO; JPO;	2003/08/05 16:13
1	5456	(metaŝdata or (meta near dața))	IBM TDB USPAT; IIS-PGPIIB;	2003/08/05 16:16
			EPO, JPO; IBM TDB	
1	71	382/100.ccls. and ((meta\$data or (meta near data)))	USPAT; US-PGPUB;	2003/08/11 12:31
			EPO; JPO; IBM_TDB	
	49	713/176.ccls. and ((meta\$data or (meta near data)))	USPAT; US-PGPUB;	2003/08/04 17:39
ı	70	(metalogical or (metalogical data))) and 382/100 cris and (stenandrianhs4 or	IBM TDB	2003/08/11 17:00
	2	or embeds4))	US-PGPUB; EPO; JPO;	
1	37	or (meta near data))) and 713/176.ccls. and (steganograph\$4 or	IBM TDB USPAT;	2003/08/04 18:09
		<pre>electronic\$4) near4 watermark\$4) or ((data or information) embed\$4)))</pre>	US-PGPUB; EPO; JPO;	
ı	438	382/284.ccls.	IBM_TDB USPAT;	2003/08/04 17:41
			US-PGPUB; EPO; JPO;	
ı	6417	382/276-308.ccls.	ism_ins USPAT; US-PGPUB;	2003/08/04 17:41
			EPO; JPO; IBM TDB	
ı	9	((meta\$data or (meta near data))) and 382/284.ccls.	USPAT; US-PGPUB;	2003/08/04 17:41
	•		EPO; JPO; IBM_TDB	17.77
ı	T	or ((data near data))) and 382/284.CCIS. and (Steganography4 or pre-electronics4) near4 watermark\$4) or ((data or information)	US-PGPUB;	
	, L	4 Or embed54))	IBM IDB	07.71 70/00/2007
ı	0	((metaydata or (meta near data))) and 382/2/6-308.CC1S.	US-PGPUB;	
	į		EPO; JPO; IBM_TDB	
ı	1744	(acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or captur\$4) same (meta\$data or (meta near data))	USPAT; US-PGPUB; EPO; JPO;	86:91 60/80/5002
			IBM TDB	

	17	or obtain\$4 or get\$4 or deriv\$4 or captur\$4) same (meta\$data or data))) and 382/100.ccls. and (steganograph\$4 or ((digital\$4 or \$\$4\$) near4 watermark\$4) or ((data or information) near4 (hid\$4 or	USPAT; US-PGPUB; EPO; JPO;	2003/08/04 18:22
ı	13	or obtain\$4 or get\$4 or deriv\$4 or captur\$4) same (meta\$data or data))) and 713/176.ccls. and (steganograph\$4 or ((digital\$4 or \$4) near4 watermark\$4) or ((data or information) near4 (hid\$4 or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/04 18:15
ı	61	or	IBM TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/04 18:24
ı	Ø	btain\$4 or get\$4 or deriv\$4 or captur\$4) same (meta\$data or .) same (steganograph\$4 or ((digital\$4 or electronic\$4) ;\$4) or ((data or information) near4 (hid\$4 or embed\$4)))) or connect\$4 or adjoin\$4 or attach\$5 or join\$4 or assembl\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 16:59
ı	18424	or accumulat\$4) digital near camera	USPAT; US-PGPUB; EPO; JPO;	2003/08/05 16:12
1	170	(digital near camera) same (steganograph\$4 or ((digital\$4 or electronic\$4) near4 watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/05 16:53
ı	m	((digital near camera) same (steganograph\$4 or ((digital\$4 or electronic\$4) near4 watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))) same (meta\$data or (meta near data))	IBM TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/05 16:55
ı	ю	6122403.pn. or 5862260.pn. or 5841978.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/05 16:28
1 1	35	5646997.URPN. hershey-john-e.in.	IBM_TDB USPAT USPAT; US-PGPUB; EPO; JPO;	2003/08/05 16:28 2003/08/05 16:36
ı	o	harrison-daniel-d.in.	IBM TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/05 16:36
ı	H	grabb-mark-l.in.	IBM_TDB USPAT; US-PGPUB;	2003/08/05 16:36
ı		welles-kenneth-b.in.	EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/05 16:36

e.in. and grabb-mark-l.in. and welles-kenneth-b.in.  e.in. and welles-kenneth-b.in.  e.in. and welles-kenneth-b.in.  e.in. and welles-kenneth-b.in.  e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or  e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or  e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or  i. b.in.) and (metasdata or (meta near data))  re.in. or harrison-daniel-d.in. or grabb-mark-l.in. or  i. b.in.) and (steganographs or (idigitals or electronics)  rh.b.in.) and (steganographs or (idigitals or electronics)  and (steganographs or (idigitals or electronics)  i. and (steganographs or idigitals or electronics)  i. and (steganographs or (idigitals or electronics)  i. and (steganographs or idigitals or	1	0	nestler-douglas-g.in.	USPAT;	2003/08/05 16:51
0 harrison-daniel-d.in. and grabb-mark-l.in. and welles-kenneth-b.in.  10 partison-daniel-d.in. and drabb-mark-l.in. and welles-kenneth-b.in.  11 partison-daniel-d.in. and welles-kenneth-b.in.  12 partison-daniel-d.in. and harrison-daniel-d.in. and grabb-mark-l.in. and grabp-mark-l.in. and grabp-mark-l.in. or grabp-mark-l.in. or grapp.  12 partison-daniel-d.in. or harrison-daniel-d.in. or grabb-mark-l.in. or Grabb-mark-l.i		,	:	EPO; JPO; IBM TDB	
hershey-john-e.in. and welles-kenneth-b.in.  hershey-john-e.in. and welles-kenneth-b.in. and grabb-mark-l.in. and bergup 105PMT;  welles-kenneth-b.in.  welles-kenneth-b.in. or darrison-daniel-d.in. or grabb-mark-l.in. or USPMT;  welles-kenneth-b.in.) and (metaSdata or (meta near data))  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or USPMT;  welles-kenneth-b.in.) and (metaSdata or (meta near data))  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or USPMT;  welles-kenneth-b.in.) and (metaSdata or (meta near data))  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or USPMT;  welles-kenneth-b.in.) and (idaginals4 or (idajitals4 or electronics4)  (hershey-john-e.in.) and (steganograph54 or (idajitals4 or electronics4)  (hershey-john-e.in.) and (steganograph54 or (idajitals4 or electronics4)  (steganograph54 or (idajitals4 or electronics4) near4 (US-EQUB)  (metaSdata or (meta near data))  (metaSdata or (meta near data))  (metaSdata or (meta near data))  (metaSdata or or (meta near data))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid or (identif57) or (unique near identif57))  (meta near data) or id or uid o	ı	0	and grabb-mark-l.in.	US-PGPUB;	75:91 50/80/5007
hershey-john-e.in. and harrison-daniel-d.in. and grabb-mark-l.in. and Uspari ("Fegub) ("Fegup) ("Fegub) ("Fegup) ("Fegup	ı	C		IBM TDB	2003/08/05 16:52
hershey-john-e.in, and harrison-daniel-d.in. and grabb-mark-l.in. and uppRTPB welles-kenneth-b.in.  48 hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or US-PGPUB; welles-kenneth-b.in.  48 hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or US-PGPUB; welles-kenneth-b.in. and (meta\$data or (meta near data))  6 (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or US-PGTUB; welles-kenneth-b.in.) and (meta\$data or (meta near data))  70 (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or US-PGTUB; welles-kenneth-b.in.) and (sreganograph94 or (idigitai84 or electronic84)  8 (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or US-PGTUB; welles-kenneth-b.in.) and (sreganograph94 or (idigitai84 or electronic84))  70 (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or US-PGTUB; welles-kenneth-b.in.) and (sreganograph94 or (idigitai84 or electronic84))  70 (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or US-PGTUB; welles-kenneth-b.in.) and (sreganograph94 or (idigitai84 or electronic84))  71 (fata or (idata or information) near4 (hid\$4 or embed\$41))  72 (sadus or (meta near data))  73 (acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or captur\$4) same (meta\$data or US-PGTUB; (meta near data) or id or uid or (identif\$7)) or (unique near identif\$7))  73 (compuls\$4 or obtain\$4 or get\$4 or deriv\$4 or captur\$4 same (meta\$data or US-PGTUB; meta near data) or id or uid or (identif\$7) or (unique near identif\$7)); or or accumulat\$4)  74 (compuls\$4 or obtain\$4 or get\$4 or deriv\$4 or attach\$5 or join\$4 or assembl\$4  75 (identif\$7)); same (combin\$4 or etet\$4 or deriv\$4 or attach\$5 or join\$4 or assembl\$4  76 or meta near data) or id or uid or (identif\$7) or (unique near identif\$7)); or or accumulat\$5 or join\$4 or deriv\$4 or attach\$5 or join\$4 or assembl\$4  77 or accumulat\$6 or obtain\$4 or get\$4 or deriv\$4 or attach\$6 or identif\$7) or identif\$7) or deriv\$4 or deriv\$4 or attach\$6 or identif\$7) or identif\$7) or deriv\$4 or deriv\$4 or at		)		US-PGPUB; EPO; JPO;	
welles-kenneth-b.in.  48 hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or Us-pcpuB; welles-kenneth-b.in.  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or Us-pcpuB; pcp. JPD; IBM TDB (18PAT; welles-kenneth-b.in.) and (meta\$data or (meta near data))  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or Us-pcpuB; welles-kenneth-b.in.) and (meta\$data or (meta near data))  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or Us-pcpuB; welles-kenneth-b.in.) and (steganograph\$4 or (didital\$4 or electronic\$4) (Us-pcpuB; near4 watermark\$4) or (data or information) near4 (hid\$4 or embed\$4))  5646997.URN. and (steganograph\$4 or (didital\$4 or electronic\$4) near4 (hid\$4 or embed\$4))  5646997.URN. and (steganograph\$4 or (didital\$4 or electronic\$4))  6546997.URN. and (steganograph\$4 or (didital\$4 or embed\$4)))  6546997.URN and (steganograph\$4 or (didital\$4) or embed\$4)))  6546997.URN and (steganograph\$4 or (didital\$4 or embed\$4)))  6	1	0	and harrison-daniel-d.in. and grabb-mark-l.in.	IBM TDB USPAT;	2003/08/05 16:52
hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or USPAT.  welles-kenneth-b.in.  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or USPAT.  welles-kenneth-b.in.) and (meta\$data or (meta near data))  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or USPAT.  welles-kenneth-b.in.) and (steganograph\$4 or (idigital\$4 or electronic\$4) (USPAT.  watermark\$4) or (idata or information) near4 (hid\$4 or embed\$4))  175 5646997.URPN. and (steganograph\$4 or (idigital\$4 or electronic\$4))  18M TDB  212045 (acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or cembed\$4))) and meta\$data or (ideta or information) near4 (hid\$4 or embed\$4))) and meta\$data or (idata or information) near4 (hid\$4 or embed\$4))) and meta\$data or (idata or information) near4 (hid\$4 or embed\$4)))  18M TDB  19PO-TDB  1				US-PGPUB; EPO; JPO;	<del></del>
welles-Kenneth-b.in.  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or uelles-Kenneth-b.in.) and (meta%data or (meta near data))  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or uspage)  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or uspage)  (hershey-john-e.in.) and (steganograph%4 or (digital%4 or electronic%4)  (hershey-john-e.in.) and (steganograph%4 or (digital%4 or electronic%4)  (steganograph%4 or (idigital%4 or electronic%4))  (steganograph%4 or (digital%4 or electronic%4))  (metamark%4) or (data or information) near4 (hid%4 or embed%4)))  (metamark%4) or (data or information) near4 (hid%4 or embed%4)))  (metamark%4) or (data or information) near4 (hid%4 or embed%4)))  (metamark%4) or (data or information) near4 (hid%4 or embed%4)))  (meta near data) or (data or information) near4 (hid%4 or embed%4)))  (meta near data) or id or uid or (identif%7)) or (unique near identif%7))  (meta near data) or id or uid or (identif%7) or (unique near identif%7))  (meta near data) or id or uid or (identif%7) or (unique near identif%7))  (meta near data) or id or uid or (identif%7) or (unique near identif%7))  (meta near data) or id or uid or (identif%7) or (unique near identif%7))  (meta near data) or id or uid or (identif%7) or (unique near identif%7))  (metamiat%4 or obtain%4 or deriv%4 or captur%4) same (meta%data or uspen)  (metamark%4) or unique near deriv%4 or deriv%4 or deriv%4 or attach%5 or join%4 or assembl%  (metamiaty or obtain%4 or deriv%4 or deriv%4 or attach%5 or join%4  (metamark%4) or identif%4) or deriv%4 or attach%5 or join%4  (metamark%4) or identif%4) or deriv%4 or attach%5 or join%4  (metamark%4) or uidentif%4) or deriv%4 or attach%5 or join%4  (metamark%4) or join%4 or captur%4 or attach%5 or join%4  (metamark%4) or join%4 or captur%4) or deriv%4 or attach%5 or join%4  (metamark%4) or join%4 o	ı	48	or harrison-daniel-d.in. or grabb-mark-l.in.	IBM_TDB USPAT;	2003/08/05 16:52
(hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or uelles-kenneth-b.in.) and (meta\$data or (meta near data))  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or graph g			welles-kenneth-b.in.	EPO; JPO;	
welles-kenneth-b.in.) and (meta\$data or (meta near data))  (hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or  welles-kenneth-b.in.) and (steganograph\$4 or (digital\$4 or electronic\$4)  near4 watermark\$4) or (data or information) near4 (hid\$4 or embed\$4)))  15646997.URPN. and (steganograph\$4 or (digital\$4 or electronic\$4) near4  watermark\$4) or (data or information) near4 (hid\$4 or embed\$4)))  15646997.URPN. and (steganograph\$4 or (digital\$4 or electronic\$4) near4  watermark\$4) or (data or information) near4 (hid\$4 or embed\$4)))  15646997.URPN. and (steganograph\$4 or (digital\$4 or electronic\$4) near4  watermark\$4) or (data or information) near4 (hid\$4 or embed\$4)))  1212045 (acquir\$4 or obtain\$4 or deriv\$4 or captur\$4) same (meta\$data or uid or uid or (identif\$7) or (unique near identif\$7))  122045 (acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or attach\$5 or join\$4 or assemb\$4  122045 (acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or attach\$5 or join\$4 or assemb\$4  122045 (acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or attach\$5 or join\$4 or assemb\$4  122045 (acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or attach\$5 or join\$4 or assemb\$4  122045 (acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or attach\$5 or join\$4 or assemb\$4  122045 (acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or attach\$5 or join\$4 or assemb\$4  122045 (acquir\$4 or obtain\$4 or deriv\$4 or attach\$5 or join\$4 or attach\$5 or join\$4  122045 (acquir\$4) or deriv\$4 or deriv\$4 or attach\$5 or join\$4  122046 (acquir\$4) or deriv\$4 or deriv\$4 or attach\$5 or join\$4  122047 (acquir\$4 or obtain\$4 or connect\$4 or attach\$5 or join\$4 or attach\$5 or join\$4  122047 (acquir\$4 or obtain\$4 or connect\$4 or attach\$5 or join\$4  122047 (acquir\$4 or obtain\$4 or deriv\$4 or attach\$5 or join\$4  122047 (acquir\$5 or join\$4 or uid or uid or uid or (identif\$7)) or (unique near identif\$7)) are (acquir\$6 or join\$6 or identif\$7) or (unique near identif\$7)) are leptor bear identif\$7) or unique near identif\$7) or identif\$7) or identif\$700 or attach\$5 or join\$6 or join\$6 or identif\$700 or attach\$	ı	0	or harrison-daniel-d.in. or grabb-mark-l.in.	USPAT;	2003/08/05 16:53
(hershey-john-e.in. or harrison-daniel-d.in. or grabb-mark-l.in. or welles-kenneth-b.in.) and (steganograph\$4 or ((digital\$4 or electronic\$4))  near4 watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))  5646997.URPN. and (steganograph\$4 or ((digital\$4 or embed\$4)))  S646997.URPN. and (steganograph\$4 or deriv\$4 or captur\$4) same (meta\$data or USPAT;  (meta near data) or id or uid or (identif\$7)) or (unique near identif\$7))  Same (combin\$4 or obtain\$4 or deriv\$4 or attach\$5 or join\$4 or assembl\$4  S6507.URPN.  S666997.URPN. and (ste\$4 or deriv\$4 or captur\$4) same (meta\$data or USPAT;  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  S6707.URPN.  S6707.URPN.  S6707.URPN.  S6707.URPN.  S6707.URPN.  S6707.URPN.  S7707.  S7			and (meta\$data or	US-PGPUB; EPO; JPO;	
wellers kenneth-b.in.) and (steganograph\$\$4 or ((digital\$\$4 or embed\$\$4)) EDP; JPD; JPD; near4 watermark\$\$4) or ((data or information) near4 (hid\$\$4 or embed\$\$4)) EDP; JPD; JPD; JPD; JPD; JPD; JPD; JPD; J	ı	c	or harrison-daniel-d.in.	IBM TDB USPAT;	2003/08/05 17:32
15646997.URPN. and (steganograph\$4 or ((digital\$4 or electronic\$4) near4 (USPAT; watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4))		,	and (steganograph\$4 or	US-PGPUB;	
77 5646997.URPN. and (steganograph\$4 or ((digital\$4 or electronic\$4)) near4 (USPAT; watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))			or ((data of minormation)	IBM TDB	
18M TDB  (meta\$data or (meta near data))  (meta\$data or (meta near data))  (meta\$data or (meta near data))  (meta near data)  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  ((acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or adjoin\$4 or assembl\$4  ((acquir\$4 or obtain\$4 or id or uid or (identif\$7) or (unique near  ((acquir\$4 or obtain\$4 or deriv\$4 or adjoin\$4 or assembl\$4  ((acquir\$4 or obtain\$4 or uid or (identif\$7) or (unique near  (meta near data) or id or uid or (identif\$7) or (unique near  (identif\$7)))  (identif\$7)))  (identif\$7)))  (identif\$7)))  (identif\$7)))  (identif\$7)))  (identif\$7)))  (identif\$7)))	1	77	(steganograph\$4 or ((digital\$4 or electronic\$4) data or information) near4 (hid\$4 or embed\$4)))	USPAT; US-PGPUB; EPO; JPO;	2003/08/05 16:55
(acquir\$4 or obtain\$4 or deriv\$4 or captur\$4) same (meta\$data or deriv\$4 or deriv\$4 or captur\$4) or (data near data)  (meta\$data or (meta near data))  (meta\$data or (meta near data))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))		L		IBM TDB	2002/08/05 16.55
(meta\$data or (meta near data))  212045 (acquir\$4 or obtain\$4 or deriv\$4 or captur\$4) same (meta\$data or USPĀT; (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  same (combin\$4 or connect\$4 or adjoin\$4 or attach\$5 or join\$4 or assembl\$4  (((acquir\$4 or obtain\$4 or qet\$4 or deriv\$4 or captur\$4) same (meta\$data or USPĀT;  or accumulat\$4)  (((acquir\$4 or obtain\$4 or qet\$4 or deriv\$4 or captur\$4) same (meta\$data or USPĀT;  or (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))) same (combin\$4 or connect\$4 or adjoin\$4 or attach\$5 or join\$4  identif\$7)) same (combin\$4 or connect\$4 or adjoin\$4 or attach\$5 or join\$4  EPO; JPO;  IBM_TDB  US-PGPUB;  BFO; JPO;  US-PGPUB;  BFO; JPO;  IBM_TDB  US-PGPUB;  SEQUIR\$4 or deriv\$4 or deriv\$4 or attach\$5 or join\$4  IBM_TDB  US-PGPUB;  SEQUIR\$5 or (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))) same (combin\$5 or identif\$7) or (identif\$7))	1	n	or ((digitals4 or electronics4) on) near4 (hid\$4 or embed\$4)))	US-PGPUB;	20070075075
212045 (acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or captur\$4) same (meta\$data or USPĀT;  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7))  (c) accumulat\$4)  (c) acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or attach\$5 or join\$4 or assembl\$4  (c) acquir\$5 or id or uid or (identif\$7) or (unique near  (c) acquir\$6 or id or uid or (identif\$7) or (unique near  (c) acquir\$7 or id or uid or (identif\$7) or (unique near  (c) acquir\$6 or id or uid or (identif\$7) or (unique near  (c) acquir\$7 or id or uid or (identif\$7) or (unique near  (c) acquir\$7 or id or uid or (identif\$7) or (unique near  (c) acquir\$7 or id or uid or (identif\$7) or (unique near  (c) acquir\$7 or id or uid or (identif\$7) or (unique near  (c) acquir\$7 or id or uid or (identif\$7) or (unique near  (c) acquir\$7 or id or uid or (identif\$7) or (unique near  (c) acquir\$7 or id or uid or (identif\$7) or (unique near  (c) acquir\$7 or identif\$7) or (unique near  (c) acquir\$7 or identif\$7 or identif\$7) or (unique near  (c) acquir\$7 or identif\$7 or ide				EPO; JPO; IBM TDB	
(meta near data) of 1d of uld of (lucinity) of (unique near lucinity))  (acquir\$4 or obtain\$4 or deriv\$4 or captur\$4) same (meta\$data or USPAT;  (meta near data) or id or uid or (identif\$7) or (unique near identif\$7)))  (comunit\$4 or connect\$4 or adjoin\$4 or attach\$5 or join\$4 or assembl\$4  (cocquir\$4 or obtain\$4 or deriv\$4 or captur\$4) same (meta\$data  (cocquir\$4 or obtain\$4 or deriv\$4 or captur\$4) same (meta\$data  (cocquir\$5 or id or uid or (identif\$7) or (unique near  (cocquir\$5 or join\$6	ı	212045	get\$4 or deriv\$4 or captur\$4) same (meta\$data	USPAT;	2003/08/05 16:59
("acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or captur\$4") same (meta\$data or USPAT;  (meta near data) or id or uid or (identif\$7") or (unique near identif\$7"))  Same (combin\$4 or connect\$4 or adjoin\$4 or attach\$5 or join\$4 or assembl\$4 EPO; JPO;  or accumulat\$4")  8518 (((acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or deriv\$4 or attach\$5 or join\$4 or id or uid or (identif\$7") or (unique near identif\$7")) same (combin\$4 or connect\$4 or adjoin\$4 or attach\$5 or join\$4 or attach\$5 or join\$6 or attach\$6 or attach\$			data) oi id oi uid oi (identiiș/)	EPO, JPO;	
(meta near data) or id or uid or (identils)) or (unique near identils))) US-FGFUB; same (combins4 or connects4 or adjoins4 or attachs5 or joins4 or assembls4 EPO; JPO; or accumulats4)  8518 (((acquirs4 or obtains4 or gets4 or derivs4 or capturs4) same (metaseata USPAT; or (meta near data) or id or uid or (identifs7) or (unique near identifs7))) same (combins4 or connects4 or adjoins4 or attachs5 or joins4 EPO; JPO;	ı	49081	or get\$4 or deriv\$4 or captur\$4) same (meta\$data	USPAT;	2003/08/05 17:01
0r accumulat\$4)  8518 (((acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or captur\$4) same (meta\$data USPAT; or (meta near data) or id or uid or (identif\$7) or (unique near US-PGPUB; identif\$7))) same (combin\$4 or connect\$4 or adjoin\$4 or attach\$5 or join\$4 EPO;			(meta near data) or 1d or u1d or (1dent11\$/) or (un1que near 1dent11\$/))) same (combin\$4 or connect\$4 or adioin\$4 or attach\$5 or join\$4 or assembl\$4	EPO; JPO;	
8518 (((acquir\$4 or obtain\$4 or get\$4 or deriv\$4 or captur\$4) same (meta\$data USPAI; or (meta near data) or id or uid or (identif\$7) or (unique near US-PGPUB; identif\$7))) same (combin\$4 or connect\$4 or adjoin\$4 or attach\$5 or join\$4 EPO;		1	or accumulat\$4)	IBM_TDB	
sinst or connectst or adjoinst or attachs5 or joins4	1	8218	l or get\$4 or der1v\$4 or captur\$4) same id or uid or (identif\$7) or (unique nea	US-PGPUB;	70:/1 60/80/6007
0.5 0.000000000000000000000000000000000			inst or connects or adjoints or attachs or	EPO; JPO;	

	}	or (unique near or join\$4 or attach\$5 or join\$4 or subtract\$4)), same	US-PGPUB; EPO; JPO; IBM_TDB		16.71
4.	4964	(Steganography4 of (digitaly4 of electronicy4) near4 watermarky4) of ((data or information) near4 (hid\$4 or embed\$4))) (figure\$of\$merit) or (figure near of near merit) or (figure near merit)	USPAT; US-PGPUB; RPO: JPO:	2003/08/05 17	17:32
	H	((figure\$of\$merit) or (figure near of near merit) or (figure near merit)) same (steganograph\$4 or ((digital\$4 or electronic\$4) near4 watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))	IBM TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/05 17	17:33
	п	5659726.pn.	IBM TDB USPAT; US-PGPUB;	2003/08/06 09	09:51
	Н	6122392.pn.	EPO; JPO; IBM TDB USPAT; US-PGPUB;	2003/08/06 09	09:52
	D	(US-6434701-\$ or US-6278791-\$ or US-6427020-\$ or US-5949055-\$ or US-5867118-\$ or US-6411724-\$ or US-546997-\$ or US-6549922-\$).did. or	IEC, CEC, IBM TDB USPAT; US-PGPUB	2003/08/06 13	13:29
	0	(US-20020001395-\$).did. ((US-6434701-\$ or US-6278791-\$ or US-6427020-\$ or US-5949055-\$ or US-5867118-\$ or US-6411724-\$ or US-5646997-\$ or US-6549922-\$).did. or (US-20020001395-\$).did.) and (stor\$4 or memory)	USPAT; US-PGPUB; EPO; JPO;	2003/08/06 13	13:30
	7	((US-6434701-\$ or US-6278791-\$ or US-6427020-\$ or US-5949055-\$ or US-5867118-\$ or US-6411724-\$ or US-546997-\$ or US-6549922-\$).did. or (US-20020001395-\$).did.) and (stor\$4 and memory)	IBM TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/06 13	13:32
Ā	1029	((electro\$optical) or (electro near optical)) near3 (image)	IBM TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/06 13	13:33
	0	(((electro\$optical) or (electro near optical)) near3 (image)) same (steganograph\$4 or ((digital\$4 or electronic\$4) near4 watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))	IBM TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/06 13	13:36
	18	(((electro\$optical) or (electro near optical)) near3 (image)) and (steganograph\$4 or ((digital\$4 or electronic\$4) near4 watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))	1BM TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/07 13	13:59
	26	chen-brian.in.	IBM TDB USPAT; US-PGPUB;	2003/08/07 14	14:00
	7	chen-brian.in. and (steganograph\$4 or ((digital\$4 or electronic\$4) near4 watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))	IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/07 14	14:29

C:\APPS\EAST\Workspaces\09672452.wsp

1	9	(chen-brian.in. and (steganograph\$4 or ((digital\$4 or electronic\$4) near4	USPAT;	2003/08/07 14:48
		<pre>watermark\$4) or ((data or information) near4 (hid\$4 or embed\$4)))) and (match\$4 or compar\$4 or correspond\$4)</pre>	US-PGPUB; EPO; JPO;	
			IBM TDB	
1	21	("4073010"   "5418531"   "5502576"   "5613004"	USPAT	2003/08/07 14:53
		"5664018"   "5687236"   "5689587"   "5692205"		
	•	_		
		"5960398"   "6031914"   "6037984").PN.		
1	П	5646997.pn. and (user near4 meta\$data)	USPAT;	2003/08/11 12:31
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
ı	74	74 (digital near camera) same ((meta\$data or (meta near data)))	USPAT;	2003/08/11 12:33
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
ı	1	6292092.pn. and (spatial and parameter)	USPAT;	2003/08/11 12:52
			US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
1	311	((meta\$data or (meta near data))) same (steganograph\$4 or ((digital\$4 or	USPAT;	2003/08/11 17:34
		electronic\$4) near4 watermark\$4) or ((data or information) near4 (hid\$4 or	US-PGPUB;	
		embed\$4)))	EPO; JPO;	
			IBM TDB	
1	m	3 (((meta\$data or (meta near data))) same (steganograph\$4 or ((digital\$4 or	USPAT;	2003/08/11 17:35
		electronic\$4) near4 watermark\$4) or ((data or information) near4 (hid\$4 or	US-PGPUB;	
		embed\$4)))) same (hash\$4 and encrypt\$4)	EPO; JPO;	
·			IBM TDB	